Birth Defects & the Apgar Score: What Should You Know?

Did your infant have a low Apgar score and suffer from a <u>birth</u> <u>injury</u> or <u>birth defect</u>? Medical malpractice could be the cause. Learn more about the connection between birth defects and the Apgar score here.

→ What is the Apgar score?

The <u>Apgar score</u> is used to report the status of a newborn baby immediately after birth. On a scale from zero to two, infants are scored based on five criteria including appearance, pulse, grimace, activity, and respiration (APGAR).



\rightarrow How are Apgar scores interpreted?

Babies with a score of seven or above are considered normal, scores between four to six are regarded as low, and Apgar scores of three or below are considered critically low.

→ What does a critically low Apgar score mean?

A <u>critically low Apgar score</u> calls for immediate resuscitation for newborn infants. A score that remains at three or below for more than 20 minutes may indicate that a baby will have longer-term neurological damage.

ightarrow Was medical malpractice the cause of a critically low Apgar score?

Negligent prenatal care or labor procedures may be the cause of a critically low Apgar score indicating the potential for serious injury or other damages to an infant.



Talk To An Expert

If your baby suffered from a birth injury, birth defect, or other long-term damages as a result of medical negligence or <u>obstetric malpractice</u>, you may be able to file a legitimate claim. Speak to a Portland medical malpractice lawyer at Miller & Wagner to find out more about your options for a lawsuit.

This content is for educational purposes and to provide general information and understanding of the law. The information should not be used as a substitute for legal advice from a licensed attorney in your state.

